



King County

Department of Permitting and Environmental Review

35030 SE Douglas Street, Suite 210
Snoqualmie, Washington 98065-9266
206-296-6600 TTY Relay: 711
www.kingcounty.gov

C15 Web date: 11/10/2012

Conversion Option Harvest Plan Site Plan Requirements

For alternate formats, call 206-296-6600.

1. Timber harvesting plan is to include percent tree or volume removal, logging equipment proposed, internal road layout, seasonal scheduling, yarding configuration, slash-disposal methods.
2. Revegetation plan for all logged/disturbed areas.
3. Haul routes for truck traffic and heavy equipment usage between project site and main arterials.
4. Legal description of the property, including tax parcel number(s); this information is available from King County Department of Assessments.
5. A North arrow must be depicted.
6. A vicinity map drawn to a scale of approximately 1' = 2,000' in sufficient detail to clearly locate the project in relation to arterial streets, natural features, landmarks, and municipal boundaries.
7. A sub-basin map showing the location of the project and its relation to nearby natural and constructed drainage features.
8. Size and location of all existing improvements within 50-feet of the project.
9. Property boundaries, easements, covenants, setback requirements, and clearing limits.
10. Erosion-sedimentation control and revegetation plans, including topography at 5-foot maximum contour intervals. Contours should extend 100-feet beyond the project boundaries.
11. Identify on plans all critical areas and buffers having clearing limitations—erosion hazards, wetlands, aquatic areas, steep slopes, and landslide hazards.
12. The plans required above must be prepared in accordance with King County Codes 16.82, 21A.24, and 9.04. Unless otherwise directed, plans scale shall be as specified below:
 - a. If landslide or steep slope hazards, wetlands, aquatic areas, or floodplains are located on the project site, the scale shall be 1" = 20'.
 - b. If erosion hazards are located on the project site, the scale shall be 1" = 100'.
 - c. If clearing is proposed outside of critical areas or within special zoning conditions not otherwise subject to the restrictions above, the scale shall be 1" = 100'.

Check out the Permitting Web site at www.kingcounty.gov/permits